

SAFETY DATA SHEET [SDS]

#### SECTION 1

## Identification of the substance/mixture and of the company

**Product** Lumerium C60

Product # SQL5060-LM

**Brand** Solaris

99685-96-8 **CAS#** 

**Revision Date** 

Company Solaris Chem Inc.

3650 Cite-des-Jeunes, suite 101, Vaudreuil-Dorion,

2020.07.13

Address Qc, Canada, J7V 8P2

**Phone Number** (514) 730-8653



#### Hazards identification

WHMIS Rating D2B Toxic Material Causing Other Toxic Effects: Moderate

Product

respiratory irritant, Moderate eye irritant

**HMIS** Rating Health: 2 Flammability: 1 Reactivity: 0

Potential Health Effects Inhalation May be harmful if inhaled. Causes respiratory tract irritation. Skin May be harmful if absorbed through skin. May causes skin irritation. Eyes Causes eye irritation. Ingestion May be harmful if swallowed.

### **Label elements**

Hazard statements

Pictogram

Signal word

H319: Causes serious eyes irritation H335: May cause respiratory irritation.

Precautionary statements

P261: Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Notes** 

See section 11

SAFETY DATA SHEET [SDS]



### **SECTION 3**

Composition/information on ingredients	Substance	Fullerene Carbon C60
on ingredients	CAS#	99685-96-8
	SARA 313	No
	Chemical Formula	С60
SECTION 4	Molecular weight	720.64 g/mol
First aid measures	Oral Exposures	If swallowed, wash out mouth with water provided person is conscious. Call a physician.
	Inhalation	If inhaled, move to fresh air. If breathing becomes difficult, call a physician.
	Skin exposure	In case of contact, immediately wash skin with soap and copious amounts of water.
	Eye exposure	In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.
SECTION 5		
Firefighting measures	Flash Point	> 94 °C (> 201 °F)
	Auto-ignition	N/A
	Flammability	Not flammable or combustible
	Extinguishing Media	Water or Carbon dioxide or dry chemical powder or appropriate foam.
	Firefighting	Protective Equipment: Wear self-contained breathing apparatus if necessary Specific Hazard(s): Emits toxic fumes under fire conditions.
SECTION 6		
Accidental release measures	Personal Precaution	Exercise appropriate precautions to minimize direct contact with skin or eyes and prevent inhalation of dust.
	Cleaning up	Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Venti- late area and wash spill site after material pickup is complete.
	Environment	Do not let the product escape into the environment
SECTION 7		
Handling and storage	Handling	Avoid dust inhalation
	Storage	Keep tightly closed in a cool, well ventilated, dry place.
	Special Requirements	No

SAFETY DATA SHEET [SDS]



#### **SECTION 8**

Exposures
controls/personal
protection

Safety Equipment Contains no substances with occupational exposure limit values.

Personal Protective Equipement

Respiratory: Use respirators and components tested and approved under appropriate government standards (NIOSH (US) or CEN(EU)). Respiratory protection not required. The use of type N95 (US) or type P1 (EN 143) dust masks is

recommended.

Hand: Use protective gloves. Eye: Appropriate safety

General Hygiene Measures

**Boiling Point** 

Wash thoroughly after handling with soap and water.

#### **SECTION 9**

# Physical and chemical properties

**Color** Brown to dark grey

**Appearance** Powder **pH** N/A

**Melting Point** > 280 °C (> 536 °F) - lit.

N/A

Freezing Point N/A

Vapor Pressure N/A

Bulk Density N/A

Water Content N/A

Solvent Content N/A

Decomposition
Temperature

**Flash Point** > 94 °C (> 201 °F)

Flammability N/A

Auto-ignition
Temperature

**Solubility** Toluene, oils, o-DCB

**UV absorption** N/A

Emission (fluorescence)

N/A

#### SECTION 10

### Stability and reactivity

Stability

Stable, avoid strong oxydizing agents

Hazardous Decomposition Products Carbon monoxide, Carbon dioxide.

Hazardous Polymerization

Will not occur

SAFETY DATA SHEET [SDS]



### SECTION 11

Toxicological information ———	Route of Exposure Signs and Symptoms of Exposure	Skin Contact: May cause skin irritation. Skin Absorption: May be harmful if absorbed through the skin. Eye Contact: May cause eye irritation. Inhalation: Material may be irritating to mucous membranes and upper respiratory tract. May be harmful if inhaled. Ingestion: May be harmful if Skin coloration.
	IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
SECTION 12	ACGIH	ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a potential carcinogen by ACGIH.
Ecological Information	Ecological Information	Dispose the material accordingly (see section 13). No information available on the ecological effects.
SECTION 13		
Disposal considerations	Method of Disposal	Observe all federal, state, and local environmental regulations.
SECTION 14		
Transport information	DOT	Not dangerous good
	IATA	Not dangerous good
	IMDG	Not dangerous good

SAFETY DATA SHEET [SDS]



#### **SECTION 15**

**Regulatory information** United States SARA listed: No

Canada

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the SDS contains all the information required by the CPR.

D2B, Toxic Material Causing Other Toxic Effects: Moderate respiratory irritant Moderate eye irritant

SECTION 16

Other information Disclaimer

Even though the information provided above is believed to be correct and complete, it still maybe not all-inclusive and shall be used only as a guide.

The information provided reflects the present state of our knowledge on the product and the appropriate safety precautions that should be taken. No guarantee of the properties of the product is implied.

Solaris Chem Inc., shall not be held liable for any injuries or damage resulting from the use of the above product. This material should be used for R&D in an appropriate facility.